

Globally Optimal ARMA Model Identification is an Eigenvalue Problem

Abstract for the 27th ERNSI Workshop on System Identification

Christof Vermeersch^{ab} and Bart De Moor^{ac}

July 1, 2018



Type of contribution: poster

Abstract

The identification of ARMA models emerges in various application domains [1], e.g., in modeling industrial processes and financial time series, anomaly detection, and time series prediction. Moreover, the ARMA model structure is an important building block for more sophisticated models [3], e.g., ARMAX and ARIMA models. Although numerous techniques to identify ARMA models already exist, none of these methods guarantees to find the globally optimal model parameters. In our poster, we tackle this hiatus and propose a new approach to find the globally optimal least-squares parameters of ARMA models.

The identification of ARMA models corresponds to a multivariate polynomial optimization problem. Although typically solved via nonlinear numerical optimization techniques, we approach this optimization problem from a linear algebra point of view and translate, via the method of Lagrange, the optimization problem into a (potentially large) system of multivariate polynomial equations [2]. This system corresponds to a set of difference equations. Consequently, the null space of the Macaulay matrix (constructed from the coefficients of the multivariate polynomials), which is spanned by Vandermonde-like vectors constructed from the roots, is a multidimensional observability matrix. The roots of the system, of which at least one yields the globally optimal parameters of the ARMA model, follow from the construction of an autonomous multidimensional (nD) linear state space model (realization theory) and an eigenvalue calculation.

In essence, this approach reformulates the globally optimal identification of ARMA models as an eigenvalue problem. A lot of interesting research still lies ahead, but preliminary insights give cause for great optimism.

Acknowledgments

Christof Vermeersch is an FWO Strategic Basic Research fellow (application number 1SA1319N). This research receives support from FWO under EOS project 30478160 (SeLMA) and research project I013218N (Alamire), from IOF under fellowship 13-0260, from the EU under H2020-SC1-2016-2017 Gran Agreement No.727721 (MIDAS), from IWT and VLAIO through PhD grants, from VLAIO under the industrial project HBC.2018.0405, and from KU Leuven Internal Funds: C16/15/059 and C32/16/013.

References

- [1] George E. Box and Gwilym M. Jenkins. *Time Series Analysis: Forecasting and Control*. Holden-Day Series in Time Series Analysis. Holden-Day, Oakland, revised edition, 1976.
- [2] Philippe Dreesen, Kim Batselier, and Bart De Moor. Polynomial optimization problems are eigenvalue problems. In Paul M. J. van den Hof and Peter S. C. Heuberger, editors, *Model-Based Control: Bridging Rigorous Theory and Advanced Technology*, pages 46–68. Springer, 2009.
- [3] Lennart Ljung. *System Identification: Theory for the User*. Prentice Hall Information and System Sciences Series. Prentice Hall, Upper Saddle River, 2nd edition, 1999.

^aKU Leuven, Department of Electrical Engineering (ESAT), Center for Dynamical Systems, Signal Processing, and Data Analytics (STADIUS). Kasteelpark Arenberg 10, 3001 Leuven, Belgium

^bchristof.vermeersch@esat.kuleuven.be

^cbart.demoor@esat.kuleuven.be