

To Albert and Elly Bringmans-Jans

&

Wilfried and Francesca Bringmans-Scola

&

Ferdinand James Bringmans

2006

“Year of the Neanderthal”

“150 Years of Neanderthal Research”

1856 - 2006



Public Defence of the PhD Thesis by Patrick M.M.A. Bringmans

***Meerdere Midden-Paleolithische bewoningsfasen in een loess-bodem sequentie
te Veldwezelt-Hezerwater, Limburg, België***

**Multiple Middle Palaeolithic Occupations in a Loess-soil Sequence
at Veldwezelt-Hezerwater, Limburg, Belgium**

**Thursday, June 1, 2006
2 pm**

***Justus Lipsiuszaal - Eramushuis
Faculteitsgebouw Letteren (LETT 08.16)
Katholieke Universiteit Leuven
Blijde-Inkomststraat 21
B-3000 Leuven***

The Members of the Doctorate Examination Commission:

**Prof. Dr. Pierre M. Vermeersch, *Katholieke Universiteit Leuven*
Prof. Dr. Marc Lodewijckx, *Katholieke Universiteit Leuven*
Prof. Dr. Marc De Bie, *Katholieke Universiteit Leuven & Vrije Universiteit Brussel*
Prof. Dr. Wil Roebroeks, *Universiteit Leiden*
Prof. Dr. Marcel Otte, *Université de Liège*
Prof. Dr. Paul Mellars, *University of Cambridge***



**Cover Photo: Erik P.M. Meijs
Loam quarry at Veldwezelt-Hezerwater
May 11, 2002**

CONTENTS

| | Page |
|---|-------------|
| 1. CONTEXT AND OBJECTIVES OF THIS STUDY | |
| 1.1. Research History at Veldwezelt- <i>Hezerwater</i> | 1 |
| 1.2. Middle Palaeolithic Occupation in Northwest Europe | 3 |
| 1.3. The Northwest European Loess-Soil Sequence | 9 |
| 1.4. Research Objectives and Methodology of this Study | 15 |
| 1.4.1. Chronological and Ecological Background | |
| 1.4.2. “First-order Inference”: Geological Context, Stratigraphy, Site Formation, Living Floors, Post-depositional Processes & Excavation Methodology | |
| 1.4.3. “Second-order Inference”: The Nature of Core and Tool Reduction and the Nature of the Human-induced Bone and Charcoal Accumulations | |
| 1.4.4. “Third-order Inference”: The Middle Palaeolithic Socio-cultural Landscape | |
| 2. SITE DESCRIPTION AND ENVIRONMENTAL SETTING | |
| 2.1. Introduction | 20 |
| 2.2. Geography and Geomorphology | 20 |
| 2.3. The Fieldwork at Veldwezelt- <i>Hezerwater</i> | 24 |
| 2.3.1. Reconnaissance Surveys | |
| 2.3.2. Excavation Strategies | |
| 2.4. The Major Stratigraphical Events at Veldwezelt- <i>Hezerwater</i> | 25 |
| 2.5. Overview of the Saalian Lithostratigraphical Units at Veldwezelt- <i>Hezerwater</i> | 25 |
| 2.6. The “Rocourt Soilcomplex” at Veldwezelt- <i>Hezerwater</i> | 25 |
| 2.6.1. Lithostratigraphical Sequence | |
| 2.6.2. Pedo-sedimentary Evolution | |
| 2.6.3. Climatological Evaluation & Correlations with the Oxygen Isotope Records | |
| 2.6.4. The Chrono-stratigraphical Position of the SRB-VLL-VLB Soil Sequence | |
| 2.6.5. Conclusions | |
| 2.7. Overview of the Weichselian Loess-Soil Sequence at Veldwezelt- <i>Hezerwater</i> | 43 |
| 2.8. The Middle Weichselian Artefact-bearing Lithostratigraphical Units | 44 |
| 2.9. The Lithic Raw Material Environment in the <i>Maas</i> Valley | 46 |
| 2.9.1. Introduction | |
| 2.9.2. Geological Context of the Flint Sources | |
| 2.9.3. Geographical Context of the Flint Sources | |
| 2.9.4. Conclusion | |
| 2.10. Core Reduction at Veldwezelt- <i>Hezerwater</i> | 49 |

| | |
|--|-----|
| 2.10.1. Introduction | |
| 2.10.2. Centripetal Core Reduction | |
| 2.10.3. Parallel Core Reduction | |
| 2.10.4. Opportunistic Core Reduction | |
| 2.11. Flakes, Blades, Points and Tool Blanks | 54 |
| 2.12. Tool Reduction | 55 |
| 2.12.1. Introduction | |
| 2.12.2. Lithic Tools as Functional Edges | |
| 2.13. Spatial Patterning of Artefacts, Living Floors and Post-depositional Processes | 57 |
| 2.14. Middle Palaeolithic “Culture” | 60 |
| | |
| 3. OVERVIEW OF THE TWENTY-FOUR ARCHAEOLOGICAL <i>LOCI</i> DISCOVERED AT VELDWEZELT-HEZERWATER | |
| 3.1. Introduction | 66 |
| 3.2. Discussion of the Veldwezelt-Hezerwater <i>Loci</i> | 69 |
| 3.2.1. The Saalian <i>Loci</i> | |
| 3.2.2. Last Interglacial <i>s.l. Loci</i> | |
| 3.2.3. Weichselian <i>s.s. Loci</i> | |
| 3.2.4. Holocene <i>Loci</i> | |
| 3.3. Conclusion | 87 |
| | |
| 4. DISCUSSION OF THE VLL AND VLB <i>LOCI</i> | |
| 4.1. The VLL <i>Locus</i> at Veldwezelt-Hezerwater | 91 |
| 4.1.1. Geomorphological Setting, Stratigraphy and Pedology | |
| 4.1.2. Core Reduction at the VLL <i>Locus</i> | |
| 4.1.3. Tool Reduction at the VLL <i>Locus</i> | |
| 4.1.4. VLL <i>Locus</i> Integrity: Living Floors and Post-Depositional Processes | |
| 4.1.5. Character of the VLL <i>Locus</i> | |
| 4.2. The VLB <i>Locus</i> at Veldwezelt-Hezerwater | 142 |
| 4.2.1. Geomorphological Setting, Stratigraphy and Pedology | |
| 4.2.2. Core Reduction at the VLB <i>Locus</i> | |
| 4.2.3. Tool Reduction at the VLB <i>Locus</i> | |
| 4.2.4. VLB <i>Locus</i> Integrity: Living Floors and Post-Depositional Processes | |
| 4.2.5. Character of the VLB <i>Locus</i> | |
| | |
| 5. DISCUSSION OF THE VBLB AND VBLB-S <i>LOCI</i> | |
| 5.1. The VBLB <i>Locus</i> at Veldwezelt-Hezerwater | 175 |
| 5.1.1. Geomorphological Setting, Stratigraphy and Pedology | |
| 5.1.2. Core Reduction at the VBLB <i>Locus</i> | |

| | |
|---|-----|
| 5.1.3. Tool Reduction at the VBLB <i>Locus</i> | |
| 5.1.4. The Reduction Chain at the VBLB <i>Locus</i> | |
| 5.1.5. VBLB <i>Locus</i> Integrity: Living Floors and Post-Depositional Processes | |
| 5.1.6. Character of the VBLB <i>Locus</i> | |
| 5.2. The VBLB-S <i>Locus</i> at Veldwezelt-Hezerwater | 212 |
| 5.2.1. Geomorphological Setting, Stratigraphy and Pedology | |
| 5.2.2. Core Reduction at the VBLB-S <i>Locus</i> | |
| 5.2.3. Tool Reduction at the VBLB-S <i>Locus</i> | |
| 5.2.4. VBLB-S <i>Locus</i> Integrity: Living Floors and Post-Depositional Processes | |
| 5.2.5. Character of the VBLB-S <i>Locus</i> | |
| 6. DISCUSSION OF THE TL AND WFL LOCI | |
| 6.1. The TL <i>Loci</i> at Veldwezelt-Hezerwater | 225 |
| 6.1.1. Geomorphological Setting, Stratigraphy and Pedology of the TL <i>loci</i> | |
| 6.1.2. The TL-R <i>Locus</i> at Veldwezelt-Hezerwater | |
| 6.1.3. The TL-GF <i>Locus</i> at Veldwezelt-Hezerwater | |
| 6.1.4. The TL-W <i>Locus</i> at Veldwezelt-Hezerwater | |
| 6.1.5. Conclusions | |
| 6.2. The WFL <i>Locus</i> at Veldwezelt-Hezerwater | 258 |
| 6.2.1. Geomorphological Setting, Stratigraphy and Pedology | |
| 6.2.2. Core Reduction at the WFL <i>Locus</i> | |
| 6.2.3. Tool Reduction at the WFL <i>Locus</i> | |
| 6.2.4. Conclusion | |
| 6.2.5. WFL <i>Locus</i> Integrity: Living Floors and Post-Depositional Processes | |
| 6.2.6. The WFL Faunal Assemblage | |
| 7. INTER-ASSEMBLAGE COMPARISONS | |
| 7.1. The VLL Lithic Assemblage | 288 |
| 7.1.1. Introduction | |
| 7.1.2. Discussion of the Middle Palaeolithic Laminar Sites in Northwest Europe | |
| 7.1.3. Discussion | |
| 7.2. The VLB Lithic Assemblage | 299 |
| 7.2.1. Introduction | |
| 7.2.2. Discussion | |
| 7.2.3. Conclusion | |
| 7.3. The VBLB & VBLB-S Lithic Assemblages | 301 |
| 7.3.1. The VBLB <i>Locus</i> | |
| 7.3.2. The VBLB-S <i>Locus</i> | |
| 7.3.3. The VBLB & VBLB-S <i>Loci</i> : A Single Settlement System? | |
| 7.3.4. Overview of the “Last Interglacial <i>s.l.</i> ” Sites in Northwest Europe | |
| 7.3.5. Conclusion | |
| 7.4. The Middle Weichselian TL & WFL Lithic Assemblages | 319 |

| | |
|---|------------|
| 7.4.1. Weichselian <i>s.s.</i> Chronological and Environmental Framework | |
| 7.4.2. Weichselian <i>s.s.</i> Archaeological Framework | |
| 7.4.3. Overview of the Weichselian Middle Palaeolithic Open-air Sites in Belgium | |
| 7.4.4. Overview of the Weichselian Middle Palaeolithic Key Open-air Sites in Northwest Europe | |
| 7.4.5. Overview of the Middle Palaeolithic Key Cave Sites in the “Mosan Basin” dated to the Weichselian Ice Age | |
| 7.4.6. Discussion | |
| 7.4.7. The Weichselian “ <i>Micoquian</i> ” or “ <i>Keilmessergruppen</i> ” in Germany | |
| 7.4.8. Middle Palaeolithic Studies in a “United Europe” | |
| 7.4.9. The “Climatic Pendulum” and the Changing Settlement Patterns of Middle Palaeolithic Humans in Northwest Europe during the Weichselian | |
| 7.4.10. The Nexus between Levallois and Quina Reduction at the Middle Weichselian TL and WFL <i>Loci</i> at Veldwezelt-Hezerwater | |
| 7.4.11. Conclusion | |
| | |
| 8. CONCLUSIONS | |
| 8.1. Geological Framework at Veldwezelt-Hezerwater | 341 |
| 8.1.1. Chronostratigraphy | |
| 8.1.2. Geological Matrix at the Primary Context <i>Loci</i> | |
| 8.2. Lithic Raw Material Availability at Veldwezelt-Hezerwater | 345 |
| 8.3. Core and Tool Reduction Strategies at Veldwezelt-Hezerwater | 346 |
| 8.3.1. Introduction | |
| 8.3.2. Core Reduction Strategies at Veldwezelt-Hezerwater | |
| 8.3.3. Tool Reduction Strategies at Veldwezelt-Hezerwater | |
| 8.3.4. The Link between the Lithic Raw Material Availability and the Core and Tool Reduction Strategies at Veldwezelt-Hezerwater | |
| 8.3.5. Contextual Factors that Constrained Choice amongst Alternative Core and Tool Reduction Strategies at the Veldwezelt-Hezerwater <i>Loci</i> | |
| 8.4. The Complex Web of Dynamic Relationships between Lithic Raw Material Economy, Lithic Reduction Strategies, Climate-related Environmental Change & Middle Palaeolithic “Culture” at Veldwezelt-Hezerwater | 362 |
| 8.5. A Complex Mosaic of Results and Open Problems | 367 |
| 8.5.1. Overview of the Veldwezelt-Hezerwater Research Results | |
| 8.5.2. Final Considerations | |
| | |
| SAMENVATTING | 373 |
| | |
| REFERENCES | 380 |
| | |
| ANNEXES | |

LIST OF FIGURES

| | Page |
|---|------|
| Fig. 1.1. Location of the Veldwezelt-Hezerwater Pit (Gullentops & Meijs 2002) | 2 |
| Fig. 1.2.A. Legend of the idealised late Middle and Late Pleistocene Rhine-Maas loess-soil sequence and the correlating Marine Isotope Stages (Schirmer 2002, Fig. 1) | 13 |
| Fig. 1.2.B. The idealised late Middle and Late Pleistocene Rhine-Maas loess-soil sequence and the correlating Marine Isotope Stages (Schirmer 2002, Fig. 1) | 14 |
| Fig. 2.1. Topographic Map of the Study Area (<i>Topografische Kaart van België</i> . 1976. Sheet: 34/1-2 Bilzen - Veldwezelt - 1:25,000) | 21 |
| Fig. 2.2. Geologic Map of the Study Area (Felder <i>et al.</i> 1988 - 1:50,000) | 22 |
| Fig. 2.3. Veldwezelt-Hezerwater: West Profile (Location: Fig. 2.4.) | 26 |
| Fig. 2.3.bis. Legend of the Main West Profile at Veldwezelt-Hezerwater | 27 |
| Fig. 2.4. The Position of the Veldwezelt-Hezerwater Main West Profile | 28 |
| Fig. 2.5. Veldwezelt-Hezerwater: Units of the “Rocourt Soilcomplex” | 29 |
| Fig. 2.6. Veldwezelt-Hezerwater: Detail of the “Rocourt Soilcomplex” (West Profile: Quadrant 100E-110N - Scale: 1:6 - Drawing Meijs & Groenendijk) | 30 |
| Fig. 2.7.1. The “Last Interglacial <i>sensu lato</i> ” versus the “Last Interglacial <i>sensu stricto</i> ” (e.g., Imbrie <i>et al.</i> 1984; Martinson <i>et al.</i> 1987; Muhs 2004, Fig. 2.) | 34 |
| Fig. 2.7.2. Oxygen isotope compositions of the GRIP and GISP2 deep ice cores (50 kyr - 110 kyr). Significant mismatch occurs below 2,790 m depth | 35 |
| Fig. 2.8.1. Isotopic Events in the Benthic V19-29 Core (Pisias <i>et al.</i> 1984, Fig. 2.) | 38 |
| Fig. 2.8.2. GRIP Summit Ice Core $\delta^{18}\text{O}$ Profile (Dansgaard <i>et al.</i> 1993) | 40 |
| Fig. 2.9. Overview of the Units of the Veldwezelt-Hezerwater Basal Soil Complex Legend: “S.c.” = (Sub-)Soilcomplex; “Germ.” = St Germain | 42 |
| Fig. 3.1. Overview of the Veldwezelt-Hezerwater Archaeological Loci | 67 |
| Fig. 3.2. The Veldwezelt-Hezerwater Archaeological Loci: Detail | 68 |
| Fig. 3.3. 1. BDA locus: retouched piece; 2. TDA locus: Levallois flake | 69 |
| Fig. 3.4.1. TDA locus: front-side of the core-chopping tool | 71 |
| Fig. 3.4.2. TDA locus: back-side of the core-chopping tool | 72 |
| Fig. 3.5. ZNB locus: typical backed knife | 73 |
| Fig. 3.6. ZNB locus: 1. Levallois flake; GRA1 locus: 2. & 4. blades, 3. flake, 5. Levallois core | 75 |
| Fig. 3.7. GSL locus: vertical distribution of the redeposited GSL artefacts | 77 |
| Fig. 3.8. Veldwezelt-Hezerwater: the Last Interglacial Soilcomplex <i>s.l.</i> (detail) | 79 |
| Fig. 3.9. GBL locus: 1. partially cortical flake, 2. broken Levallois flake | 80 |
| Fig. 3.10. MRW locus: vertical distribution of the MRW artefacts | 81 |
| Fig. 3.11. MRW locus: 1. blade, 2. Levallois core, 3. broken pseudo-Levallois point, 4. flake | 82 |
| Fig. 3.12. ML locus: 1. Levallois flake, 2. bi-convex side-scraper | 84 |
| Fig. 3.13. MLMB locus: convex-concave convergent scraper | 85 |
| Fig. 3.14. PL locus: 1. bipolar blade core, 2. retouched piece, 3. retouched piece, 4. bifacial scraper, 5. retouched piece, 6. tip of a biface | 86 |
| Fig. 3.15. The Excavated Archaeological Loci at Veldwezelt-Hezerwater | 90 |
| Fig. 4.1. Veldwezelt-Hezerwater (Main West Profile - measuring-staff = 3 m): 1. Overview of the section at the “spring-amphitheatre”; 2. Detail visualises the units within the southern slope | 92 |
| Fig. 4.2. VLL locus: “amphitheatre” dipping towards the Northeast - 3D surface measured from the site datum: 100 m East (X Data) - 100 m North (Y Data) | 94 |
| Fig. 4.3. Artefact sizes at the VLL locus (X-axis: artefacts size classes; Y-axis: number of artefacts within a size class) | 97 |
| Fig. 4.4. VLL locus - Core 1: unipolar, pyramidal core | 98 |
| Fig. 4.5. VLL locus - Core 2: unipolar, parallel core | 99 |
| Fig. 4.6. VLL locus - Core 3: parallel core | 100 |
| Fig. 4.7. 1. VLL locus - Core 4: bipolar, parallel/prismatic core 2. VLL locus - Core 5: bipolar, parallel/prismatic core | 101 |
| Fig. 4.8. 1. VLL locus - Core 6: parallel core 2. VLL locus - Core 7: parallel core | 104 |

| | |
|--|-----|
| Fig. 4.9. VLL <i>locus</i> - Core 1: opportunistic core | 105 |
| Fig. 4.10. VLL <i>locus</i> - Core 2: opportunistic core | 106 |
| Fig. 4.11. VLL <i>locus</i> - Core 3: opportunistic core | 107 |
| Fig. 4.12. VLL <i>locus</i> - Core 4: opportunistic core | 108 |
| Fig. 4.13. VLL <i>locus</i> - Core 5: multi-directional, opportunistic core | 109 |
| Fig. 4.14. The VLL <i>locus</i> - Core 6: opportunistic core reduction sequence | 111 |
| Fig. 4.15. VLL <i>locus</i> - Core 7: opportunistic core | 112 |
| Fig. 4.16. VLL <i>locus</i> - Core 8: unipolar, opportunistic core | 113 |
| Fig. 4.17. VLL <i>locus</i> - Core 9: opportunistic core | 114 |
| Fig. 4.18. 1. VLL <i>locus</i> - Refit Set GRA(2B) 1: two refitted flakes | |
| 2. VLL <i>locus</i> - Refit Set VLL 2: two refitted flakes | 115 |
| Fig. 4.19. VLL <i>locus</i> : flakes | 116 |
| Fig. 4.20. VLL <i>locus</i> : blades and blade-like flakes | 119 |
| Fig. 4.21. VLL <i>locus</i> : tools (Scale 1:1) | 126 |
| Fig. 4.22. VLL <i>locus</i> : vertical distribution of the artefacts of refit set VLL 5 | 130 |
| Fig. 4.23. VLL <i>locus</i> : horizontal distribution of the artefacts & refits | 131 |
| Fig. 4.24. VLL <i>locus</i> : horizontal distribution of the chips & refits | 132 |
| Fig. 4.25. VLL <i>locus</i> : horizontal distribution of the cores & refits | 133 |
| Fig. 4.26. VLL <i>locus</i> : horizontal distribution of the tools & refits | 134 |
| Fig. 4.27. VLL <i>locus</i> : 3D graph of the distribution of the VLL artefacts | 137 |
| Fig. 4.28. VLL <i>locus</i> : 3D graph of the distribution of the GRA(2B) 2 Artefacts | 138 |
| Fig. 4.29. VLB <i>locus</i> : “spring-amphitheatre” dipping towards the Northeast - 3D surface measured from the site datum: 100 m East (X Data) - 100 m North (Y Data) - 20 m Elevation (Z Data) | 144 |
| Fig. 4.30. Artefact sizes at the VLB <i>locus</i> (X-axis: artefact size classes; Y-axis: number of artefacts within a size class) | 146 |
| Fig. 4.31. VLB <i>locus</i> - Core 1: semi-rotating, bipolar, parallel/prismatic core | 147 |
| Fig. 4.32. VLB <i>locus</i> - Core 2: parallel core | 148 |
| Fig. 4.33. VLB <i>locus</i> - Core 3: bipolar, parallel core | 149 |
| Fig. 4.34. VLB <i>locus</i> - Core 1: multi-directional, opportunistic core | 151 |
| Fig. 4.35. VLB <i>locus</i> - Core 2: multi-directional, opportunistic core | 152 |
| Fig. 4.36. VLB <i>locus</i> - Core 1 & 2: Levallois core | 154 |
| Fig. 4.37. VLB <i>locus</i> - Refit Set VLB 6: 23 refitted flakes | 156 |
| Fig. 4.38. VLB <i>locus</i> : flakes | 157 |
| Fig. 4.39. VLB <i>locus</i> : Levallois flakes | 158 |
| Fig. 4.40. VLB <i>locus</i> : blade-like flakes & blades | 159 |
| Fig. 4.41. VLB <i>locus</i> : notched piece | 161 |
| Fig. 4.42. VLB <i>locus</i> : notched piece | 162 |
| Fig. 4.43. VLB <i>locus</i> : combination tool | 162 |
| Fig. 4.44. VLB <i>locus</i> : vertical distribution of the artefacts of Refit Set VLB 1, 2 & 3 | 164 |
| Fig. 4.45. VLB <i>locus</i> : horizontal distribution of the artefacts & refits | 165 |
| Fig. 4.46. VLB <i>locus</i> : horizontal distribution of the chips & refits | 166 |
| Fig. 4.47. VLB-West <i>locus</i> : horizontal distribution of the artefacts | 167 |
| Fig. 4.48. VLB <i>locus</i> : 3D graph of the distribution of the VLB artefacts | 170 |
| Fig. 4.49. VLB <i>locus</i> : horizontal distribution of the pieces of charcoal (H) & refits | 171 |
| Fig. 4.50. VLB <i>locus</i> : pictures of the charcoal pieces within the “structural feature” | 172 |
| Fig. 5.1. Veldwezelt-Hezerwater (Square: 100E-110N - West Profile): 1. Last Interglacial <i>s.l.</i> soilcomplex (Scale 1:10); 2. Last Interglacial <i>s.l.</i> soilcomplex | 176 |
| Fig. 5.2. VBLB <i>locus</i> : the palaeosurface, which represents the left bank of a side-valley of the Hezerwater brook, was dipping towards the Southeast - the surface was measured from the site datum | 178 |
| Fig. 5.3. Artefact sizes at the VBLB <i>locus</i> (X-axis: artefact size classes; Y-axis: number of artefacts within a size class) | 180 |
| Fig. 5.4. VBLB <i>locus</i> - Core 1: Refit Set VBLB 1 | 181 |
| Fig. 5.5. VBLB <i>locus</i> - Core 2: Levallois core | 183 |
| Fig. 5.6. VBLB <i>locus</i> - Refit Set VBLB 3: detail | 184 |
| Fig. 5.7. VBLB <i>locus</i> - Refit Set VBLB 5 | 185 |
| Fig. 5.8. VBLB <i>locus</i> - Refit Set VBLB 6 | 185 |

| | |
|---|-----|
| Fig. 5.9. VBLB <i>locus</i> - Refit Set VBLB 7 | 186 |
| Fig. 5.10. VBLB <i>locus</i> - Refit Set VBLB 8 | 186 |
| Fig. 5.11. VBLB <i>locus</i> : partially cortical flakes | 187 |
| Fig. 5.12. VBLB <i>locus</i> : flakes | 188 |
| Fig. 5.13. VBLB <i>locus</i> - Refit Set VBLB 2 | 189 |
| Fig. 5.14. VBLB <i>locus</i> : Levallois products | 190 |
| Fig. 5.15. VBLB <i>locus</i> : tools | 193 |
| Fig. 5.16.1. VBLB <i>locus</i> : vertical distribution of the artefacts | 195 |
| Fig. 5.16.2. VBLB <i>locus</i> : vertical distribution of the artefacts | 196 |
| Fig. 5.16.3. VBLB <i>locus</i> : vertical distribution of the artefacts | 196 |
| Fig. 5.17. VBLB <i>locus</i> : horizontal distribution of the artefacts (▲/▼) & refits | 200 |
| Fig. 5.18. VBLB <i>locus</i> : horizontal distribution of the chips (▲) & refits | 201 |
| Fig. 5.19. VBLB <i>locus</i> : horizontal distribution of the tools (▲) & refits | 202 |
| Fig. 5.20. VBLB <i>locus</i> : horizontal distribution of the Levallois products (▲) & refits | 203 |
| Fig. 5.21. VBLB <i>locus</i> : the “Northern Sector” & the “Southern Concentration” | 205 |
| Fig. 5.22. VBLB <i>Locus</i> : 3D graph of the distribution of the VBLB artefacts | 207 |
| Fig. 5.23. VBLB <i>locus</i> : horizontal distribution of the pieces of charcoal (H) & refits | 208 |
| Fig. 5.24. Veldwezelt-Hezerwater - VBLB-S <i>Locus</i> : 1. “Last Interglacial Soilcomplex” (Square: 120E-74N - West Profile - Scale 1:17); 2. “Last Interglacial Soilcomplex” with tree fall & redeposited artefact | 213 |
| Fig. 5.25. VBLB-S <i>locus</i> : the VBLB surface, which actually seems to represent the right bank of a Last Interglacial <i>s.l.</i> side-valley of the Hezerwater brook, was dipping towards the Northeast - the surface was measured from the site datum | 215 |
| Fig. 5.26. Artefact sizes at the VBLB-S <i>locus</i> (X-axis: artefact size classes; Y-axis: number of artefacts within a size class) | 217 |
| Fig. 5.27. VBLB-S <i>locus</i> : flakes and blade (Drawings: M. Van Meenen - Scale 1:1) | 218 |
| Fig. 5.28. VBLB-S <i>locus</i> : vertical distribution of the artefacts | 219 |
| Fig. 5.29. VBLB-S <i>locus</i> : horizontal distribution of the artefacts | 221 |
| Fig. 5.30. VBLB-S <i>locus</i> : horizontal distribution of the chips | 221 |
| Fig. 5.31. VBLB-S <i>Locus</i> : 3D graph of the distribution of the VBLB-S artefacts | 222 |
| Fig. 6.1. Veldwezelt-Hezerwater (Square: 124E-38N - West Profile): TLB Soil | 225 |
| Fig. 6.2. The TLB surface at the TL-R <i>locus</i> at Veldwezelt-Hezerwater, which seems to represent the left bank of an early Middle Weichselian valley of the Hezerwater brook, was dipping towards the Southeast. The TLB surface at the TL-R <i>locus</i> was measured from the site datum | 227 |
| Fig. 6.3. Artefact sizes at the TL-R <i>locus</i> (X-axis: artefact size classes; Y-axis: number of artefacts within a size class) | 229 |
| Fig. 6.4.1. TL-R <i>locus</i> - Core 1: Levallois core | 230 |
| Fig. 6.4.2. TL-R <i>locus</i> : large flake | 231 |
| Fig. 6.4.3. TL-R <i>locus</i> - Refit Set TL-R 1: two refitted flakes | 232 |
| Fig. 6.4.4. TL-R <i>locus</i> : 1. flake; 2. flake; 3. flake; 4. atypical backed knife | 233 |
| Fig. 6.5. TL-R <i>locus</i> : vertical distribution of the artefacts | 235 |
| Fig. 6.6.1. TL-R <i>locus</i> : horizontal distribution of the artefacts (▲) | 236 |
| Fig. 6.6.2. TL-R <i>locus</i> : horizontal distribution of the chips (▲) | 236 |
| Fig. 6.7. TL-R <i>Locus</i> : 3D graph of the distribution of the TL-R artefacts | 237 |
| Fig. 6.8. The TLB surface at the TL-GF <i>locus</i> at Veldwezelt-Hezerwater, was dipping towards the Southeast. The TLB surface at the TL-GF <i>locus</i> was measured from the site datum | 238 |
| Fig. 6.9. Artefact sizes at the TL-GF <i>locus</i> (X-axis: artefact size classes; Y-axis: number of artefacts within a size class) | 240 |
| Fig. 6.10.1. TL-GF <i>locus</i> - Core 1: bipolar, parallel/prismatic core | 241 |
| Fig. 6.10.2. TL-GF <i>locus</i> - Core 2: opportunistic core | 242 |
| Fig. 6.11. TL-GF <i>locus</i> : 1. & 2. Retouched pieces; 3. Quina transverse scraper | 244 |
| Fig. 6.12. TL-GF <i>locus</i> : vertical distribution of the artefacts | 246 |
| Fig. 6.13. TL-GF <i>locus</i> : horizontal distribution of the artefacts | 247 |
| Fig. 6.14. TL-GF <i>Locus</i> : 3D graph of the distribution of the TL-GF artefacts | 248 |
| Fig. 6.15. The TLB surface at the TL-W <i>locus</i> at Veldwezelt-Hezerwater was dipping towards the South and the Southeast. The TLB surface was measured from the site datum | 249 |

| | |
|---|-----|
| Fig. 6.16. Artefact sizes at the TL-W <i>locus</i> (X-axis: artefact size classes; Y-axis: number of artefacts within a size class) | 251 |
| Fig. 6.17. TL-W <i>locus</i> : 1. broken Levallois point; 2.-8. flakes (Scale 1:1) | 252 |
| Fig. 6.18. TL-W <i>locus</i> : vertical distribution of the artefacts | 253 |
| Fig. 6.19. TL-W <i>locus</i> : horizontal distribution of the artefacts | 254 |
| Fig. 6.20. TL-W <i>Locus</i> : 3D graph of the distribution of the TL-W artefacts | 255 |
| Fig. 6.21. Veldwezelt- <i>Hezerwater</i> (West Profile): 1. Overview of the WFL palaeosoil (122E-27N/47N - Scale 1:100); 2. Detail of the WFL palaeosoil | 258 |
| Fig. 6.22. WFL <i>locus</i> : the WFL surface, which actually represents the left bank of a valley of the <i>Hezerwater</i> brook, was dipping towards the Southeast - the surface was measured from the site datum | 260 |
| Fig. 6.23. Artefact sizes at the WFL <i>locus</i> (X-axis: artefact size classes; Y-axis: number of artefacts within a size class) | 261 |
| Fig. 6.24. WFL <i>locus</i> : 1. Levallois Core 1 (Refit Set WFL 1); 2. Levallois Core 2 | 264 |
| Fig. 6.25. WFL <i>locus</i> : 1. Levallois core 3; 2. parallel/prismatic core | 266 |
| Fig. 6.26. WFL <i>locus</i> : 1-5. flakes | 267 |
| Fig. 6.27. WFL <i>locus</i> : denticulated piece (Scale 1:1) | 270 |
| Fig. 6.28. WFL <i>locus</i> : 1-2. Quina side-scrappers (Scale 1:1) | 271 |
| Fig. 6.29.1. WFL <i>locus</i> : vertical distribution of the artefacts & bones (overview) | 272 |
| Fig. 6.29.2. WFL <i>locus</i> : vertical distribution of the artefacts & bones (detail) | 273 |
| Fig. 6.30. WFL <i>locus</i> : horizontal distribution of the artefacts, bones & teeth | 275 |
| Fig. 6.31. WFL <i>locus</i> : horizontal distribution of the artefacts | 275 |
| Fig. 6.32. WFL <i>locus</i> : horizontal distribution of the bones & teeth | 276 |
| Fig. 6.33. WFL <i>locus</i> : horizontal distribution of the tools | 276 |
| Fig. 6.34. WFL <i>locus</i> : horizontal distribution of the <i>Lanaye</i> Flint artefacts | 277 |
| Fig. 6.35. WFL <i>locus</i> : horizontal distribution of the <i>Hesbaye</i> Flint artefacts | 277 |
| Fig. 6.36. WFL <i>Locus</i> : 3D graph of the distribution of the WFL artefacts & bones | 278 |
| Fig. 6.37.1. WFL <i>Locus</i> : spatial distribution of the animal teeth | 285 |
| Fig. 6.37.2. WFL <i>Locus</i> : spatial distribution of the horse bones & teeth | 285 |
| Fig. 6.37.3. WFL <i>Locus</i> : spatial distribution of the woolly rhino bones and teeth | 286 |
| Fig. 6.37.4. WFL <i>Locus</i> : spatial distribution of the steppe bison bones & teeth | 286 |
| Fig. 7.1. Overview of the key Middle Palaeolithic blade sites in Northwest Europe | 294 |
| Fig. 7.2. Coquelles: blades (Révillion 1995, Fig. 1.) | 297 |
| Fig. 7.3. Overview of the “traditional” key Eemian <i>s.s.</i> sites in Northwest Europe | 306 |
| Fig. 7.4. Correlation between the Last Interglacial <i>s.l.</i> pollen sequence of <i>Grande Pile</i> (Woillard 1978) and the Last Interglacial <i>s.l.</i> soilcomplex | 309 |
| Fig. 7.5. Bettencourt N2b: flakes, blades & points (Locht <i>et al.</i> 1996, Fig. 35.) | 313 |
| Fig. 7.6. Remicourt - <i>En Bia Flo</i> : 1. bifacial tool; 2. blade; 3. blade; 4. core; 5. tool (Haesaerts <i>et al.</i> 1999, Fig. 6.) | 314 |
| Fig. 7.7. Overview of the key Last Interglacial <i>s.l.</i> sites in Northwest Europe | 316 |
| Fig. 7.8. Weichselian <i>s.s.</i> key open-air sites in Northwest Europe | 323 |
| Fig. 7.9. Quina tools (Scale 1:1) at (1) Fonds de Forêt & (2) Spy (Ulrix-Closset 1975) | 326 |
| Fig. 7.10. Middle Weichselian key cave sites in the Mosan Basin, Belgium | 328 |
| Fig. 7.11. The nexus between “Levallois” and “Quina” reduction at Veldwezelt- <i>Hezerwater</i> | 339 |
| Fig. 8.1. Climato-Environmental Framework (Dansgaard <i>et al.</i> 1993) and Chrono-Technological Characterisation of the Primary Context <i>Loci</i> | 358 |
| Fig. 8.2. Core and Tool Reduction Strategies at Veldwezelt- <i>Hezerwater</i> | 363 |

LIST OF TABLES

| | Page |
|---|------|
| Table 2.1. Veldwezelt- <i>Hezerwater</i> : Codes of the Lithostratigraphical Units | 27 |
| Table 2.2. Checklist of Possible Contexts & Post-depositional Processes, which could have been active at the Veldwezelt- <i>Hezerwater Loci</i> | 59 |
| Table 3.1. Overview of the Archaeological <i>Loci</i> at Veldwezelt- <i>Hezerwater</i> | 88 |
| Table 4.1. The Geological Matrix at the VLL <i>Locus</i> at Veldwezelt- <i>Hezerwater</i> | 93 |
| Table 4.2. Artefact Inventory and Artefact Frequencies (N) at the VLL <i>Locus</i> | 96 |
| Table 4.3. Overview of the Tool Frequencies (n) at the VLL <i>Locus</i> | 124 |
| Table 4.4./5. Overview of the Post-Depositional Transport Agents at the VLL <i>Locus</i> | 140 |
| Table 4.6. The Geological Matrix at the VLB <i>Locus</i> at Veldwezelt- <i>Hezerwater</i> | 143 |
| Table 4.7. Artefact Inventory and Artefact Frequencies (N) at the VLB <i>Locus</i> | 145 |
| Table 4.8. Overview of the Tool Frequencies (n) at the VLB <i>Locus</i> | 161 |
| Table 4.9. Overview of the Post-Depositional Transport Agents at the VLB <i>Locus</i> | 173 |
| Table 5.1. The Geological Matrix at the VBLB <i>Locus</i> at Veldwezelt- <i>Hezerwater</i> | 177 |
| Table 5.2. Artefact Inventory and Artefact Frequencies (N) at the VBLB <i>Locus</i> | 179 |
| Table 5.3. Overview of the Tool Frequencies (n) at the VBLB <i>Locus</i> | 192 |
| Table 5.4. Overview of the Post-Depositional Transport Agents at the VBLB <i>Locus</i> | 210 |
| Table 5.5. The Geological Matrix at the VBLB-S <i>Locus</i> at Veldwezelt- <i>Hezerwater</i> | 214 |
| Table 5.6. Artefact Inventory and Artefact Frequencies (N) at the VBLB-S <i>Locus</i> | 216 |
| Table 5.7. Overview of the Post-Depositional Transport Agents at the VBLB-S <i>Locus</i> | 224 |
| Table 6.1. The Geological Matrix at the TL <i>Loci</i> at Veldwezelt- <i>Hezerwater</i> | 226 |
| Table 6.2. Artefact Inventory and Artefact Frequencies (N) at the TL-R <i>Locus</i> | 228 |
| Table 6.3. Artefact Inventory and Artefact Frequencies (N) at the TL-GF <i>Locus</i> | 239 |
| Table 6.4. Overview of the Tool Frequencies (n) at the TL-GF <i>Locus</i> | 242 |
| Table 6.5. Artefact Inventory and Artefact Frequencies (N) at the TL-W <i>Locus</i> | 250 |
| Table 6.6. Overview of the Post-Depositional Transport Agents at the TL <i>Loci</i> | 257 |
| Table 6.7. The Geological Matrix at the WFL <i>Locus</i> at Veldwezelt- <i>Hezerwater</i> | 259 |
| Table 6.8. Artefact Inventory and Artefact Frequencies (N) at the WFL <i>Locus</i> | 262 |
| Table 6.9. Overview of the Tool Frequencies (n) at the WFL <i>Locus</i> | 269 |
| Table 6.10. Overview of the Post-Depositional Transport Agents at the WFL <i>Locus</i> | 280 |
| Table 6.11. Faunal assemblage of the WFL <i>locus</i> (N = number of identified faunal remains / MNI = the minimum number of individuals for the different species) | 282 |
| Table 7.1. Overview of the most important Middle Palaeolithic blade sites in Northwest Europe and their resemblance to the VLL lithic assemblage at Veldwezelt- <i>Hezerwater</i> | 295 |
| Table 7.2. Overview of the most important Middle Palaeolithic blade sites in Northwest Europe and their resemblance to the VLB <i>Locus</i> at Veldwezelt- <i>Hezerwater</i> | 300 |
| Table 7.3. Overview of the “traditional” key Eemian <i>s.s.</i> sites in Northwest Europe | 307 |
| Table 7.4. Overview of the Key Open Air Sites in Northwest Europe dated to the Middle and Later Parts of the Last Interglacial <i>s.l.</i> | 311 |
| Table 7.5. Overview of the Key Open Air Sites in Northwest Europe dated to the Middle and Later Parts of the Last Interglacial <i>s.l.</i> | 318 |
| Table 7.6. Weichselian <i>s.s.</i> Key Open-air Sites in Northwest Europe | 323 |
| Table 7.7. Weichselian <i>s.s.</i> Open-air Sites in Northwest Europe & the TL and WFL <i>Loci</i> | 324 |
| Table 7.8. Middle Weichselian Key Cave Sites in the Mosan Basin, Belgium | 328 |
| Table 7.9. Middle Weichselian Cave Sites in the Mosan Basin & the TL and WFL <i>Loci</i> | 329 |
| Table 8.1. The Geological Matrix at the Primary Context <i>Loci</i> | 344 |
| Table 8.2. Sorts of Flint Found at the Veldwezelt- <i>Hezerwater</i> Primary Context <i>Loci</i> | 346 |
| Table 8.3. Artefact Frequencies (N) at the Primary Context <i>Loci</i> | 348 |
| Table 8.4. Overview of the Tool Frequencies (n) at the Primary Context <i>Loci</i> | 350 |
| Table 8.5. Characteristics of Raw Material Procurement at Veldwezelt- <i>Hezerwater</i> | 354 |
| Table 8.6. “Curated” and “Expedient” Core and Tool Reduction Strategies and Middle Palaeolithic Group Mobility at Veldwezelt- <i>Hezerwater</i> | 356 |

ACKNOWLEDGEMENTS

The “Laboratory of Prehistory” in the former “Earth Sciences Building” in the *Redingenstraat* (*Katholieke Universiteit Leuven*, Belgium) was an intellectual home base for me during the time that much of the work was done for this study. It was written as a member of the “Veldwezelt-Hezerwater Middle Palaeolithic Project” research team, which was headed by Prof. Dr. Pierre M. Vermeersch. The other team members were Prof. Dr. Frans Gullentops, Prof. Dr. Jean-Marie Cordy, *Ir.* Jean-Pierre de Warrimont, Albert J. Groenendijk & *Drs.* Erik P.M. Meijs. The team members helped me to formulate some of the methods, techniques and ideas that appeared within this study. I appreciate the insightful discussions and difficult questions that we dealt with, all of which make this a better study.

I especially would like to thank Prof. Dr. Pierre M. Vermeersch (“Laboratory of Prehistory” - “Prehistoric Archaeology Unit”, Physical and Regional Geography Research Group, *Katholieke Universiteit Leuven*), my advisor, who read and commented on the entire manuscript several times. His guidance, advice, insights, critical attitude and help was indeed very important in shaping my own opinions and ideas about specific scientific topics. Professor Vermeersch did an excellent job and I am very grateful for his enormous effort.

We also would like to thank the members of the Doctorate Examination Commission:

- Prof. Dr. Pierre M. Vermeersch, *Katholieke Universiteit Leuven*, Belgium
- Prof. Dr. Marc Lodewijckx, *Katholieke Universiteit Leuven*, Belgium
- Prof. Dr. Marc De Bie, *Katholieke Universiteit Leuven & Vrije Universiteit Brussel*, Belgium
- Prof. Dr. Wil Roebroeks, *Universiteit Leiden*, The Netherlands
- Prof. Dr. Marcel Otte, *Université de Liège*, Belgium
- Prof. Dr. Paul Mellars, *University of Cambridge*, United Kingdom

Many people have helped me to formulate the ideas and information, which follow. I especially would like to thank the following members of the scientific community for their insights, guidance and support: Prof. Dr. Etienne Paulissen (*Katholieke Universiteit Leuven*, Belgium), Prof. Dr. Shawn Babel (University of Lethbridge, Canada), Prof. Dr. Klaus-Dieter Jäger (*Institut für Prähistorische Archäologie, Martin-Luther-Universität*, Halle-Wittenberg, Germany), Prof. Dr. Wolfgang Schirmer (*Abteilung Geologie der Heinrich-Heine-Universität*, Düsseldorf, Germany), Prof. Dr. Milford H. Wolpoff (Paleoanthropology Laboratory, Department of Anthropology, University of Michigan, Ann Arbor, United States of America), Prof. Dr. Alan Thorne (Archaeology and Natural History, Australian National University, Canberra, Australia), Dr. Daniel R. Muhs (United States Geological Survey (USGS), United States of America) and Prof. Dr. Geoffrey A. Clark (Regents’ Professor, Department of Anthropology, Arizona State University (ASU), Tempe, United States of America).

We also would like to thank His Excellency then Minister Johan Sauwens (Flemish Government, Belgium), Prof. Dr. Guy De Boe (then *I.A.P.*, Belgium), Mrs. Carmen Willems (*Provinciaal Gallo-Romeins Museum*, Tongeren, Belgium), Mr. Guido Creemers (*Provinciaal Gallo-Romeins Museum*, Tongeren, Belgium), Mr. Bart Demarsin (*Provinciaal Gallo-Romeins Museum*, Tongeren, Belgium), Mr. Patrick Mathei (*Provinciaal Gallo-Romeins Museum*, Tongeren, Belgium).

We would also very much like to thank Mr. Mayor Alex Vangronsveld (Community of Lanaken, Belgium), Ms. Vera Jans (MP & Community of Lanaken, Belgium), Mr. Ivo Thys (Community of Riemst, Belgium), Mr. Piet J.M. Litjens (City of Maastricht, The Netherlands), *Ing.* J.R. van Spaandonk (*SFB-Vastgoed*, The Netherlands), Drs. Wim Dijkman (City of Maastricht, The Netherlands) and Drs. Eric P.G. Wetzels (City of Maastricht, The Netherlands).

Funding is gratefully acknowledged from the Institute for the Archaeological Heritage (then *I.A.P.*, Belgium) of the Flemish Community, the Provincial Gallo-Roman Museum (Tongeren, Belgium), *N.V. Vandersanden Steenfabrieken* (Spouwen, Belgium), the Fund for Scientific Research - Flanders (*F.W.O.*, Belgium), the Province of Limburg (Belgium), the Province of Limburg (The Netherlands), *BPF-Bouw* (The Netherlands), the Community of Lanaken (Belgium), the Community of Riemst (Belgium) and the City of Maastricht (The Netherlands).

Our colleagues at the former “Laboratory of Prehistory”, now “Prehistoric Archaeology Unit”, at the *Katholieke Universiteit Leuven*, Belgium: Prof. Dr. Philip Van Peer, Dr. Bart Vanmontfort, Dr. Veerle Rots, *Dra.* Elzbieta Derwich, *Dra.* Jeanne-Marie Vroomans and Prof. Dr. Marc De Bie (*V.I.O.E.*) and Mr. Marijn Van Gils (*V.I.O.E.*).

We also would like to acknowledge the help and support of Mr. Rob Jans (*Société Générale*, Paris, France), Mr. Hans Dominicus (Federal Government, Belgium), *Ir.* Jacques Herlant (Belgium), *Drs.* Dieter Jehs (*Universiteit Gent*, Belgium), *Drs.* Hylke N. De Jong (Bristol University, United Kingdom), *Dott.* Gaetano Colantuono (*Università degli Studi di Bari*, Italy), *Drs.* Allan Coolen (*Katholieke Universiteit Leuven*), *Drs.* Steven Brussé (*Universiteit Leiden*, The Netherlands), Mr. Steffan Giebelen (The Netherlands), Mr. Huub Spronk (The Netherlands), *Drs.* Jeroen van der Lubbe (*Vrije Universiteit Amsterdam*, The Netherlands), *Drs.* Niels Rouwen (*Universiteit Leiden*, The Netherlands), *Drs.* Geoff Smith (University College London, UK), *Drs.* Tony Minoldo (University College London, United Kingdom), *Drs.* Luc Amkreutz (*Universiteit Leiden*, The Netherlands), Mr. Wayne Petersen (University of Lethbridge, Canada), Mr. Joris Steegmans (*Katholieke Universiteit Leuven*), Ms. Evy Cuypers (*Katholieke Universiteit Leuven*), Mr. Emile Bogaerts (Leuven), Dr. Marc Coenen (*Katholieke Universiteit Leuven*), Mr. Marc Van Meenen (*V.I.O.E.*, then *I.A.P.*, Belgium), *Drs.* Erik Becker (*Universität Mainz*, Germany), Dr. Edward Calthrop (University of Cambridge, United Kingdom), Dr. Dimitri de Loecker (*Universiteit Leiden*, The Netherlands), Prof. Dr. Francis Wenban-Smith (University of Southampton, United Kingdom), Mrs. Majorie de Grooth (*Bondefanten Museum*, Maastricht, The Netherlands), Prof. Dr. Jan Michal Burdukiewicz (University of Wroclaw, Poland), Prof. Dr. Avraham Ronen (University of Haifa, Israel), Prof. Dr. Dieter Schäfer (University of Innsbruck, Austria), Dr. Utz Böhner (*Universität zu Köln*, Germany), Mr. Dominique Bonjean (*Grotte Scladina et Centre Archéologique*, Sclayn, Belgium), Prof. Dr. Dick Stapert (*Universiteit Groningen*, The Netherlands), Germany, Dr. *Ir.* J. (Hans) van der Plicht (*Universiteit Groningen*, The Netherlands), *Dra.* Inger Woltinge (*Universiteit Groningen*, The Netherlands), *Drs.* Marcel Niekus (Groningen, The Netherlands), Mr. J. (Martín) Salazar-Díaz (University of Colorado Denver (CU), United States of America), Joseph McKeehan (University of California Los Angeles (UCLA), United States of America), Dr. Keith Dobney (University of Durham, United Kingdom), Dr. Hartmut Thieme (*Niedersächsisches Landesamt für Denkmalpflege*, Germany), Prof. Dr. Jürgen Richter (*Universität zu Köln*, Germany), Prof. Dr. Laurence A. Lewis (Clark University, Worcester, Massachusetts, United States of America), Prof. Dr. Rudi D’Hooge (*Katholieke Universiteit Leuven*), Prof. Dr. G.J. Boekschoten (*Vrije Universiteit Amsterdam*, The Netherlands).

Veldwezelt-Leuven, April 5, 2006